Class Methods At Work

Damien Cassou, Stéphane Ducasse and Luc Fabresse

W4S06





What You Will Learn

- Class methods are normal methods
- Most class methods create new instances
 - but they can be used for other things



Parsing Lines

Imagine we want to parse


!Section Title

- list item
- -- subitem

Any text here




A Possible Design



- Document item **classes** know
 - if they can parse a line (canParse:)
 - how to create instances (newFromLine:)



Parsing Lines



Parser >> documentClasses
 ^ DocumentItem allSubclasses
 sorted: [:class1 :class2 | class1 priority < class2 priority]
Parser >> parse: line
 self documentClasses
 detect: [:subclass |
 (subclass canParse: aLine)
 ifTrue: [^ subclass newFromLine: line]]



The Command-Line Handler

- the Pharo command-line interface (CLI) uses the same approach
- each subclass of CommandLineHandler knows how to deal with one command
- the correct subclass is selected by sending messages to the class

\$ pharo Pharo.image eval "10 factorial"
3628800



The Command-Line Handler

CommandLineHandler class >> isResponsibleFor: arguments ^ arguments includesSubCommand: self commandName

EvaluateCommandLineHandler class >> commandName ^ 'eval'

CommandLineHandler class >> allHandlers ^ self allSubclasses reject: [:handler | handler isAbstract]

CommandLineHandler class >> handlersFor: arguments ^ self allHandlers select: [:handlerClass | handlerClass isResponsibleFor: arguments]



Conclusion

- Classes are objects and can be sent messages
- Method lookup is exactly the same as for all objects:
 - go to the class of the receiver
 - follow inheritance chain
- More during the lecture Understanding Metaclasses
- Pharo makes it easy to iterate over subclasses



A course by



and



in collaboration with







「おいちて」 INSTITUT Mines-Télécom





Except where otherwise noted, this work is licensed under CC BY-NC-ND 3.0 France <code>https://creativecommons.org/licenses/by-nc-nd/3.0/fr/</code>